

Automated Carbon dioxide Exchange System (ACE) publications list to October 2024

- ALTİKAT, S., KÜÇÜKERDEM, H. K., & ALTİKAT, A. (2018). Effects of wheel traffic and farmyard manure applications on soil CO₂ emission and soil oxygen content. *TURKISH JOURNAL OF AGRICULTURE AND FORESTRY*, 42(4), 288–297. <https://doi.org/10.3906/tar-1709-79>
- Badraghi, A., Novotná, B., Frouz, J., Křištof, K., Trakovický, M., Juriga, M., Chvila, B., & Montagnani, L. (2023). Temporal Dynamics of CO₂ Fluxes over a Non-Irrigated Vineyard. *Land* 2023, Vol. 12, Page 1925, 12(10), 1925. <https://doi.org/10.3390/LAND12101925>
- Benbi, D. K., Toor, A. S., Brar, K., & Dhall, C. (2020). Soil respiration in relation to cropping sequence, nutrient management and environmental variables. *Archives of Agronomy and Soil Science*, 66(13), 1873–1887. <https://doi.org/10.1080/03650340.2019.1701188>
- Berglund, Ö., Berglund, K., Jordan, S., & Norberg, L. (2019). Carbon capture efficiency, yield, nutrient uptake and trafficability of different grass species on a cultivated peat soil. *CATENA*, 173, 175–182. <https://doi.org/10.1016/J.CATENA.2018.10.007>
- Berglund, Ö., Kätterer, T., & Meurer, K. H. E. (2021a). Emissions of CO₂, N₂O and CH₄ From Cultivated and Set Aside Drained Peatland in Central Sweden. *Frontiers in Environmental Science*, 9, 630721. <https://doi.org/10.3389/FENV.2021.630721>
- Berglund, Ö., Kätterer, T., & Meurer, K. H. E. (2021b). Emissions of CO₂, N₂O and CH₄ From Cultivated and Set Aside Drained Peatland in Central Sweden. *Frontiers in Environmental Science*, 9, 630721. <https://doi.org/10.3389/FENV.2021.630721/BIBTEX>
- Blaser, A. C. (2016). *SPATIAL AND TEMPORAL PATTERNS OF CARBON DIOXIDE EXCHANGE FOR A WET SEDGE PLANT COMMUNITY, MELVILLE ISLAND, NU* [MSc, Queen's University]. <http://hdl.handle.net/1974/13987>
- Cannone, N., Augusti, A., Malfasi, F., Pallozzi, E., Calfapietra, C., & Brugnoli, E. (2016). The interaction of biotic and abiotic factors at multiple spatial scales affects the variability of CO₂ fluxes in polar environments. *Polar Biology*, 39(9), 1581–1596. <https://doi.org/10.1007/S00300-015-1883-9>
- Cannone, N., Binelli, G., Worland, M. R., Convey, P., & Guglielmin, M. (2012). CO₂ fluxes among different vegetation types during the growing season in Marguerite Bay (Antarctic Peninsula). *Geoderma*, 189–190, 595–605. <https://doi.org/10.1016/j.geoderma.2012.06.026>
- Cannone, N., Ponti, S., Christiansen, H. H., Christensen, T. R., Pirk, N., & Guglielmin, M. (2019). Effects of active layer seasonal dynamics and plant phenology on CO₂ land-atmosphere fluxes at polygonal tundra in the High Arctic, Svalbard. *CATENA*, 174, 142–153. <https://doi.org/10.1016/J.CATENA.2018.11.013>
- Czubaszek, R. (2019). Exchange of Carbon Dioxide between the Atmosphere and the Maize Field Fertilized with Digestate from Agricultural Biogas Plant. *Journal of Ecological Engineering*, Vol. 20(nr 1), 145–151. <https://doi.org/10.12911/22998993/93798>
- Giammanco, S., Sims, K. W. W., & Neri, M. (2007). Measurements of ²²⁰Rn and ²²²Rn and CO₂ emissions in soil and fumarole gases on Mt. Etna volcano (Italy): Implications for gas transport and shallow ground fracture. *Geochemistry, Geophysics, Geosystems*, 8(10). <https://doi.org/10.1029/2007GC001644>

- Ibrahim, M. M., Guo, L., Wu, F., Liu, D., Zhang, H., Zou, S., Xing, S., & Mao, Y. (2022). Field-applied biochar-based MgO and sepiolite composites possess CO₂ capture potential and alter organic C mineralization and C-cycling bacterial structure in fertilized soils. *Science of The Total Environment*, 813, 152495. <https://doi.org/10.1016/J.SCITOTENV.2021.152495>
- Jiang, X., Cao, L., & Zhang, R. (2014). Effects of addition of nitrogen on soil fungal and bacterial biomass and carbon utilisation efficiency in a city lawn soil. *Soil Research*, 52(1), 97–105. <https://doi.org/10.1071/SR13210>
- Krištof, K., Šima, T., Nozdrovický, L., & Findura, P. (2014). The effect of soil tillage intensity on carbon dioxide emissions released from soil into the atmosphere. *Agronomy Research*, 12(1), 115–120. https://agronomy.emu.ee/wp-content/uploads/2014/05/2014_1_12_b5.pdf#abstract-3114
- Lin, Z., Zhang, R., Tang, J., & Zhang, J. (2011). Effects of high soil water content and temperature on soil respiration. *Soil Science*, 176(3), 150–155. <https://doi.org/10.1097/SS.0B013E31820D1D76>
- Liu, Y., Hu, C., Mohamed, I., Wang, J., Zhang, G., Li, Z., & Chen, F. (2016). Soil CO₂ Emissions and Drivers in Rice–Wheat Rotation Fields Subjected to Different Long-Term Fertilization Practices. *CLEAN – Soil, Air, Water*, 44(7), 867–876. <https://doi.org/10.1002/CLEN.201400478>
- Liu, Y., Wan, K. yuan, Tao, Y., Li, Z. guo, Zhang, G. shi, Li, S. lai, & Chen, F. (2013). Carbon Dioxide Flux from Rice Paddy Soils in Central China: Effects of Intermittent Flooding and Draining Cycles. *PLOS ONE*, 8(2), e56562. <https://doi.org/10.1371/JOURNAL.PONE.0056562>
- Mühendisliği, B., Engineering, B., Altikat, S., Kaan Küçükerdem, H., Altikat, A., & Kaan, H. (2019). The Response of CO₂ Flux to Soil Warming, Manure Application and Soil Salinity. *Iğdır Üniversitesi Fen Bilimleri Enstitüsü Dergisi*, 9(3), 1334–1342. <https://doi.org/10.21597/IJIST.515501>
- Noe, S. M., Kimmel, V., Hüve, K., Copolovici, L., Portillo-Estrada, M., Püttsepp, Ü., Jõgiste, K., Niinemets, Ü., Hörtnagl, L., & Wohlfahrt, G. (2011). Ecosystem-scale biosphere–atmosphere interactions of a hemiboreal mixed forest stand at Järvselja, Estonia. *Forest Ecology and Management*, 262(2), 71–81. <https://doi.org/10.1016/J.FORECO.2010.09.013>
- Noe, S. M., Niinemets, Ü., Krasnova, A., Krasnov, D., Motallebi, A., Kängsepp, V., Jõgiste, K., Hörrak, U., Komsaare, K., Mirme, S., Vana, M., Tammet, H., Bäck, J., Vesala, T., Kulmala, M., Petäjä, T., & Kangur, A. (2015). SMEAR Estonia: Perspectives of a large-scale forest ecosystem– Atmosphere research infrastructure. *Forestry Studies*, 63, 56–84. <https://doi.org/10.1515/fsmu-2015-0009>
- Qu, R., Chen, S., Wang, K., Liu, Q., Yang, B., Yue, M., & Peng, C. (2023). Potential future changes in soil carbon dynamics in the Ziwuling Forest, China under different climate change scenarios. *Science of The Total Environment*, 169008. <https://doi.org/10.1016/J.SCITOTENV.2023.169008>
- Rana, G., Palatella, L., Scanlon, T. M., Martinelli, N., & Ferrara, R. M. (2018). CO₂ and H₂O flux partitioning in a Mediterranean cropping system. *Agricultural and Forest Meteorology*, 260–261, 118–130. <https://doi.org/10.1016/J.AGRFORMET.2018.06.007>
- Rato-Nunes, M., Jaskulski, D., Jaskulska, I., Ró` Zniak, E., Radziemska, M., & Brtnický, M. (2023). Cultivation of Crops in Strip-Till Technology and Microgranulated Fertilisers Containing a Gelling Agent as a Farming Response to Climate Change. *Agriculture 2023, Vol. 13, Page 1981*, 13(10), 1981. <https://doi.org/10.3390/AGRICULTURE13101981>



- Startsev, N., Bhatti, J. S., & Jassal, R. S. (2016). Surface CO₂ Exchange Dynamics across a Climatic Gradient in McKenzie Valley: Effect of Landforms, Climate and Permafrost. *Forests* 2016, Vol. 7, Page 279, 7(11), 279. <https://doi.org/10.3390/F7110279>
- Sun, S.-Q., Bhatti, J. S., Jassal, R. S., Chang, S. X., Arevalo, C., Black, T. A., & Sidders, D. (2015). Stand Age and Productivity Control Soil Carbon Dioxide Efflux and Organic Carbon Dynamics in Poplar Plantations. *Soil Science Society of America Journal*, 79(6), 1638–1649. <https://doi.org/10.2136/SSSAJ2015.06.0233>
- Uri, V., Kukumägi, M., Aosaar, J., Varik, M., Becker, H., Aun, K., Krasnova, A., Morozov, G., Ostonen, I., Mander, Ü., Lõhmus, K., Rosenthal, K., Kriiska, K., & Soosaar, K. (2019). The carbon balance of a six-year-old Scots pine (*Pinus sylvestris* L.) ecosystem estimated by different methods. *Forest Ecology and Management*, 433, 248–262. <https://doi.org/10.1016/J.FORECO.2018.11.012>
- Wu, Y. S., Li, X. R., Jia, R. L., Yin, R. P., & Liu, T. J. (2023). Livestock trampling regulates the soil carbon exchange by mediating surface roughness and biocrust cover. *Geoderma*, 429, 116275. <https://doi.org/10.1016/J.GEODERMA.2022.116275>
- Zengeni, R., Kakembo, V., & Nkongolo, N. (2016a). Soil carbon dioxide effluxes from different vegetation environments in semi-arid Eastern Cape, South Africa. *African Journal of Range and Forage Science*, 33(2), 111–118. <https://doi.org/10.2989/10220119.2015.1088573>
- Zengeni, R., Kakembo, V., & Nkongolo, N. (2016b). Soil carbon dioxide effluxes from different vegetation environments in semi-arid Eastern Cape, South Africa. *African Journal of Range & Forage Science*, 33(2), 111–118. <https://doi.org/10.2989/10220119.2015.1088573>
- Zhang, X., Xu, M., Liu, J., Sun, N., Wang, B., & Wu, L. (2016). Greenhouse gas emissions and stocks of soil carbon and nitrogen from a 20-year fertilised wheat-maize intercropping system: A model approach. *Journal of Environmental Management*, 167, 105–114. <https://doi.org/10.1016/j.jenvman.2015.11.014>
- Zhao, P., Pumpanen, J., & Kang, S. (2020a). Spatio-temporal variability and controls of soil respiration in a furrow-irrigated vineyard. *Soil and Tillage Research*, 196, 104424. <https://doi.org/10.1016/J.STILL.2019.104424>
- Zhao, P., Pumpanen, J., & Kang, S. (2020b). Spatio-temporal variability and controls of soil respiration in a furrow-irrigated vineyard. *Soil and Tillage Research*, 196. <https://doi.org/10.1016/j.still.2019.104424>
- Zornoza, R., Rosales, R. M., Acosta, J. A., de la Rosa, J. M., Arcenegui, V., Faz, Á., & Pérez-Pastor, A. (2016). Efficient irrigation management can contribute to reduce soil CO₂ emissions in agriculture. *Geoderma*, 263, 70–77. <https://doi.org/10.1016/j.geoderma.2015.09.003>